

# OCAM

**4X4**  
**ACCESSORIES**

## USER GUIDE

AWN3-2132

**OCAM LUNA ALUMINIUM SHELL SIDE AWNING**



OCAM 4x4 Accessories  
31 Shirley Way, Epping, VIC 3076  
Telephone (03) 9357-0306  
Email: [hello@ocam.com.au](mailto:hello@ocam.com.au)  
ABN: 33166112278



- OCA** 1. Release the black handle, located in the center of the awning.



2. Release the orange locks on the left and right sides



3. Pull the wing panel tab to release the awning


4. Pull the black handle and gently extend the awning out.



5. After extending out, gently push the swing arms outward until the joints lock into place. You'll hear a light click when in the locked position. Do not pull or push aggressively.



6. Deploy the tension bar as shown.





7. Deploy the upright support poles and guy ropes to secure the awning.

8. Final Adjustment Check fabric tension and pole positioning to ensure even load and water runoff.


## Pack Down



1. Remove the tension bar



2. Remove the upright support poles and guy ropes



3. Hold one of the swing arms with one hand and gently push it outward. Simultaneously with the other hand, pull the lever at the join (as shown) to release. Repeat on the other side. *Note: pushing the swing arm outward will allow the lever to release. To prevent damage, ensure you do not pull the lever aggressively.*



4. Pull downward on the pull ring (found on the left side at the bottom of the shell) to retract the awning. While holding the pull ring down, the awning will fold back in on its own.



- OCAM 5. Upon retracting, push both ends of the front panel into the awning case until both orange buckles lock securely.



- OCAM 6. Return the pull ring to its closed position and resecure the black handle in the center of the awning. Your awning is now closed.

## LED Lighting



The swing arms include integrated USB powered LED lights.

## Safety Notes

- Do not deploy in extreme winds.
- Ensure all poles are firmly planted before use when securing with guy ropes.
- Dry awning before long-term storage where possible.

## Maintenance Tips

- Clean with mild soap and water only.
- Allow to fully dry before packing away.
- Check hinges and mounting hardware regularly.